

# FINE FINISH SPRAYERS

Graco's Complete Line of Fine Finish  
Sprayers and Accessories



PROVEN QUALITY. LEADING TECHNOLOGY.



# THERE IS NOTHING LIKE A GRACO SPRAYER

Experienced contractors know the difference. Graco professional fine finish sprayers are solid investments that perform reliably, year after year.

## TRUST YOUR BUSINESS AND REPUTATION TO GRACO

Graco is committed to providing the highest quality finish sprayers available, backed by the industry's best warranty.

## AMERICAN BUILT QUALITY SINCE 1926

100% factory-tested and field-proven Graco fine finish sprayers are designed, manufactured, and assembled in the USA.

## INDUSTRY-LEADING WARRANTY

Behind every Graco sprayer is the industry's strongest warranty. You may never use Graco's warranty—but if you do, we will be there.



## GRACO-ONLY SOLUTIONS TO PROVIDE THE BEST FINISH AND KEEP YOU SPRAYING



PATENTED

### PROFESSIONAL FINISH QUALITY

#### Precision-Cut RAC X™ FF LP SwitchTip

- Finer atomization and soft edges for easier overlapping with pre-orifice design
- Sprays at lower pressures with less overspray and up to 2X life
- Reduces prep and cleanup



PATENTED

### LIGHTWEIGHT, ERGONOMIC DESIGN

- G40 Spray Gun with RAC X™ FF LP Fine Finish Low Pressure Spray SwitchTips™
- Ultralight trigger pull
- Gun filter integrated into the gun to minimize tip clogs

CORDLESS

PATENT PENDING

### EXCLUSIVE BREAKTHROUGH CORDLESS TECHNOLOGY

- Industry's only high performance cordless finishing sprayer
- Spray up to 6 gallons before charging. Includes 2 DeWALT® FlexVolt® batteries for all day spraying.
- Expanded application capability with freedom from power cords and outlets



PATENTED

### SUPERIOR FINISH AND VERSATILITY

- EDGE® II Plus Gun— independent controls for material volume, airflow, and spray fan size
- 4X more productivity
- Quick Release Needles— easily change or clean needle sets, without tools



PATENTED

### LONGER LIFE AND QUIETER JOBSITES

#### SmartStart/SmartComp™ Systems

- On-demand power control— if you're not spraying, it's not running
- Reduces jobsite noise, resulting in less fatigue



PATENTED

### SPRAY IN ANY DIRECTION FlexLiner™ Bag System

- Spray at any angle with no adjustment— even upside down
- Easy cleanup: reuse liner or toss, no suction tube to clean



# COMPLETE FINE FINISH SPRAYING SOLUTIONS

Graco has the right sprayer for your fine finishing applications. Whether it's a FinishPro HVLP, FinishPro Air-Assisted Airless sprayer, or an Airless sprayer, Graco's line of fine finish sprayers yield unmatched results in productivity and quality of finish.



### HVLP (HIGH-VOLUME LOW PRESSURE)

- Spray small to medium extreme control jobs
- Standard, ProContractor™ and ProComp packages to fit your needs



### AIRLESS

- Spray small to large project without thinning
- High end finish quality with RAC X FF LP SwitchTips



### AIR-ASSISTED AIRLESS

- Large projects requiring large material volumes
- Precision spraying and increased productivity
- Softer pattern, more control, higher transfer, and less overspray
- Quickly switch from air-assisted airless to pure airless spraying



| CLASSIFICATION                                                                         | FINISHPRO HVLP                                                                                   | AIRLESS                                                                                                                      | FINISHPRO II AIR-ASSISTED AIRLESS                                                                           |
|----------------------------------------------------------------------------------------|--------------------------------------------------------------------------------------------------|------------------------------------------------------------------------------------------------------------------------------|-------------------------------------------------------------------------------------------------------------|
|                                                                                        | EXTREME CONTROL                                                                                  | HIGH PRODUCTIVITY                                                                                                            |                                                                                                             |
| Technology                                                                             | High volume, low pressure air results in fine professional finish with extreme control           | High-pressured fluid results in fine quality finish with high production rate                                                | High-pressured fluid combined with pressurized air results in fine quality finish with high production rate |
| Finish Quality                                                                         | Automotive Quality                                                                               | Furniture/Cabinet Quality                                                                                                    |                                                                                                             |
| Spray Pattern Size                                                                     | 1/8 in – 8 in Fan Width (0.3 cm – 20 cm)                                                         | 2 in – 12 in Fan Width (4 cm – 30 cm)                                                                                        |                                                                                                             |
| Transfer Efficiency (% of material sprayed that adheres to the surface vs. in the air) | 85 – 95%                                                                                         | 50 – 60%                                                                                                                     | 70 – 80%                                                                                                    |
| Typical Applications                                                                   | Small, Detailed Work<br>Railings, Shutters, Mantels, Tubs, Trim, Staircases, Cabinets, Furniture | Medium – Large Surfaces<br>Doors, Trim, Cabinets, Molding, Garage Doors, Lockers, Decorative Steel Structures, and much more |                                                                                                             |
| Characteristics                                                                        | Most Control                                                                                     | Fast Application                                                                                                             | Best Balance Between Speed and Quality                                                                      |
| Average Job Size                                                                       | Under 3 Gallons                                                                                  | Solutions for every job size                                                                                                 | Over 3 Gallons                                                                                              |
| Power Source                                                                           | Corded                                                                                           | Corded or Cordless                                                                                                           | Corded                                                                                                      |



## HVLP SOLUTIONS FOR EVERY APPLICATION

Engineered for superior atomization in the widest range of materials, Graco HVLPs are one of the coolest running, longest life HVLP sprayers on the market. Only Graco is committed to the needs of professional contractors by offering three different series of fine finish airless sprayers: Standard, ProContractor, and ProComp models, to make sure you deliver a quality finish on every job.



### GREATER CONTROL (PATENTED)

- Simplified flow control and easy operation — EDGE II gun
- Independent pattern, airflow, and fluid flow controls — EDGE II PLUS gun



### INCREASED PRODUCTIVITY

- Convenient FlexLiner Bag System makes filling and spraying fast and easy
- Spray a full quart in any direction, even upside down, without losing prime
- Quick color change and storage of materials with additional FlexLiner cups



### EASY CLEANUP

- Reuse FlexLiner cups or toss, no suction tube to clean
- Fast gun cleaning with quick-release needle and no-tools nozzle removal

### COOL RUNNING SYSTEMS

- Systems only run when trigger is pulled with SmartStart feature — extending life and reducing heat\*
- Set TurboControl turbine speed to match the performance required

### ON-DEMAND POWER CONTROL

#### SmartStart Turbine\* (PATENTED)

- Automatically shuts off when not in use — if you're not spraying, it's not running
- Reduces jobsite noise, resulting in less fatigue

### SMALLER AND LIGHTER

- Maximum jobsite portability — get jobs done faster and easier
- Supreme durability and turbine protection with rugged stainless steel enclosure
- Easier transport and refilling with onboard gun and cup holder\*

\*ProContractor and ProComp systems only.

# EDGE II HVLP GUNS

## ACHIEVE THE HIGHEST QUALITY FINISH

Gain the competitive edge you need with the cutting-edge technology available only in the HVLP EDGE II and EDGE II PLUS guns.



HVL P EDGE II Gun  
with FlexLiner — 17P481



HVL P EDGE II Plus Gun  
with FlexLiner — 17P483



### SINGLE USER CONTROL

#### EDGE II Gun


- One simple control to adjust both material and airflow together
- Optimized for most fine finish applications
- Quick adjustment with 360° rotation indicator for repeatable spraying



### ULTIMATE CONTROL

#### EDGE II Plus Gun

- Independent user controls
  - Material volume control
  - Air flow control
  - Spray fan size control
- Quick adjustment with full 360° rotation
- Separate material volume and air controls
- Turn to adjust pattern height



### GRACO-ONLY TECHNOLOGY ON ALL EDGE II AND EDGE II PLUS GUNS:

#### FINISH JOBS FASTER

- 4X more productivity to finish jobs in 25% less time
- Increased fluid flow in every needle with exclusive Graco air cap design

#### MAINTENANCE-FREE SPRAYING IN ANY DIRECTION

##### FlexLiner Bag System (PATENTED)

- Spray at any angle with no adjustment—even upside down
- Easy cleanup: reuse liner or toss, no suction tube to clean
- Easy color change with extra cups on hand

#### THE EASIEST MAINTENANCE

##### Quick Release Needles (PATENTED)

- Change out needles with just a click
- Easy to change, easy to clean—no tools needed

#### ALL-DAY SPRAYING COMFORT

##### Ergonomic Gun Handle

- Lightweight and comfortable design
- Form-fitted handle stays cool to the touch

#### ULTRALIGHT TRIGGER

##### EasyGlide™

- 75% lighter trigger pull than the competition
- 2-finger design provides ultimate control

#### EASY SPRAY PATTERN ADJUSTMENTS

##### Adjustable Air Cap

- 3-position rotation quickly changes spray pattern—horizontal, vertical, round



##### Round Pattern

1/8 in–4 in (0.3 cm–10 cm) Diameter

##### Horizontal Fan

1 in–8 in (2.5 cm–20 cm) Width

##### Vertical Fan

1 in–8 in (2.5 cm–20 cm) Width



SEE WHY CUSTOMERS  
CHOOSE FINISHPRO HVLP

| HVLP GUNS                            | PART # |
|--------------------------------------|--------|
| HVLP EDGE II Gun with FlexLiner      | 17P481 |
| HVLP EDGE II Gun with Metal Cup      | 17P653 |
| HVLP EDGE II Plus Gun with FlexLiner | 17P483 |
| HVLP EDGE II Plus Gun with Metal Cup | 17P484 |



### CHANGE OUT NEEDLES WITH JUST A CLICK—NO TOOLS NEEDED!

#### How It Works:



1) Remove front air cap and nozzle



2) Slide trigger lever to release needle



3) Pull needle out

# FINISHPRO HVLP 7.0 AND 9.0

## EVERYDAY RELIABILITY, EXCLUSIVE TURBOFORCE™ TECHNOLOGY



- Perfect for small jobs
- Only the essential features you need



### HIGHER PRODUCTION AND PERFORMANCE

#### Exclusive TurboForce Technology

- More pressure throughout each stage
- Less material thinning required with higher airflow and air pressure
- Generates less heat and provides longer turbine life



### QUIET, ADJUSTABLE POWER

#### Turbo Control System

- Adjust the TurboForce turbine speed to match the performance required
- Runs quieter and extends turbine system life
- Reduces heat buildup



### SUPERIOR FILTERING

#### Standard Filtration System

- Washable filter extends motor life and ensures a quality finish
- No tools required to remove
- Outperforms foam filters used on other HVLP sprayers



### SINGLE USER CONTROL

#### EDGE II Gun (PATENTED)

- One simple control to adjust both material and airflow together
- Optimized for most fine finish applications
- Quick adjustment with 360° rotation indicator for repeatable spraying

### MAINTENANCE-FREE SPRAYING IN ANY DIRECTION

#### FlexLiner Bag System

- Spray at any angle with no adjustment— even upside down
- Easy cleanup: reuse liner or toss, no suction tube to clean
- Easy color change with extra cups on hand

### MORE CONTROL AT THE GUN

#### Super-Flex™ Air Hose

- 15% lighter weight than other leading brands
- No tools needed to connect
- 20 ft length (Standard Series) or 30 ft length (ProContractor and ProComp Series)

### SMARTER AND LIGHTER

#### Stainless Steel “Tough Box” Design

- Supreme durability and turbine protection with rugged stainless steel enclosure



FinishPro HVLP 9.0  
Standard Series  
17N264



Ready to spray: complete with Edge II Spray gun, #3 Fluid Set, and 20' Super-Flex Air Hose

| FINISHPRO HVLP STANDARD SPRAYERS | PART # |
|----------------------------------|--------|
| FinishPro HVLP 7.0               | 17N263 |
| FinishPro HVLP 9.0               | 17N264 |

# FINISHPRO HVLP 7.0, 9.0 AND 9.5

## WORK SMARTER, FINISH MORE JOBS



- Ideal for small-to-medium jobs
- Loaded with features that offer convenience, control, and produce a superior spray finish



### ON-DEMAND POWER CONTROL

#### SmartStart On-Demand Turbine

- Automatically shuts off when not in use—if you're not spraying, it's not running
- Reduces jobsite noise, resulting in less fatigue
- Reduces heat and extends turbine life



### USER-FRIENDLY OPERATION

#### TurboControl System with LED Display

- Highly visible LED display to indicate turbine setting
- Light blinks to indicate filters need cleaning



### ULTIMATE CONTROL

#### EDGE II Plus Gun

- With independent user controls for material volume, air flow, and spray fan size
- High flow design increases productivity over other brands
- FlexLiner Bag System

ProContractor Series sprayers also include most Standard Series features:

- Turbo Control System
- Exclusive TurboForce Technology
- FlexLiner Bag System
- Super-Flex Air Hose
- Stainless Steel “Tough Box” Design

Ready to spray: complete with Edge II PLUS Spray gun, multiple Fluid Sets, and 30' Super-Flex Air Hose



FinishPro HVLP 9.5  
ProContractor Series  
17N267



| FINISHPRO HVLP PROCONTRACTOR SPRAYERS | PART # |
|---------------------------------------|--------|
| FinishPro HVLP 7.0                    | 17N265 |
| FinishPro HVLP 9.0                    | 17N266 |
| FinishPro HVLP 9.5                    | 17N267 |

# FINISHPRO HVLP 9.5

PROCOMP  
SERIES

## SUPERIOR PRODUCTIVITY AND DURABILITY

- Ideal for medium-to-large jobs
- Higher production and more control with an expanded range of coatings, producing a superior spray finish
- Double the fluid capacity
- Lighter gun weight minimizes fatigue throughout the day
- Material hose designed to provide easier spraying in tight areas



### ON-DEMAND AIR SUPPLY

#### Integrated Compressor

- Lighter gun weight minimizes fatigue throughout the day
- Pressurize remote cup up to 25 psi
- Allows spraying of thicker materials
- Quick connect hose connections



### FEWER REFILLS

#### 2-Quart Remote Cup

- Increase productivity and ease-of-use without cup mounted on the gun
- Fine tune pressure with pressure regulator and gauge
- Includes belt hook and convenient shoulder strap



### SMALL JOB FLEXIBILITY

#### 1-Quart FlexLiner Cup

- Includes conversion kit to use gun-mounted 1 qt FlexLiner cup




#### ProComp Series sprayers also include ALL ProContractor Series features:

- Turbo Control System with LED Display
- Exclusive TurboForce Technology
- FlexLiner Bag System
- Super-Flex Air Hose
- SmartStart On-Demand Turbine
- EDGE II Plus Gun
- Industry-Leading Dual Filtration System
- Utility Toolbox
- Onboard Gun and Cup Holder



# FINISHPRO HVLP ACCESSORIES



| ARTISAN AIR VALVE KIT                                          |                                                                                                                                                    |                  |                                                                                     |
|----------------------------------------------------------------|----------------------------------------------------------------------------------------------------------------------------------------------------|------------------|-------------------------------------------------------------------------------------|
| 17S192                                                         | Provides the ultimate air control for specialty, multi-spec applications<br>Plugs directly into back of EDGE II guns                               |                  |                                                                                     |
| HVLP EDGE II GUN EXTENSION, 12 IN (30 CM)                      |                                                                                                                                                    |                  |                                                                                     |
| 17P491                                                         | Attaches directly to the HVLP EDGE II gun for extended reach and spraying hard-to-reach areas<br>Ability to spray in any direction – 360° rotation |                  |                                                                                     |
| QUICK-RELEASE FLUID SETS                                       |                                                                                                                                                    |                  |                                                                                     |
| For HVLP EDGE II guns only                                     |                                                                                                                                                    |                  |                                                                                     |
| Change out needles from the front of the gun with just a click |                                                                                                                                                    |                  |                                                                                     |
| PART #                                                         | NEEDLE                                                                                                                                             | SIZE             | MATERIAL                                                                            |
| 17P485                                                         | #2                                                                                                                                                 | .032 in (0.8 mm) | Ultra fine finish with inks, dyes, non-wiping stains, automotive finishes           |
| 17P486                                                         | #3                                                                                                                                                 | .051 in (1.3 mm) | Fine finish lacquers, stains, enamels, epoxies, urethane, varnish                   |
| 17P487                                                         | #4                                                                                                                                                 | .071 in (1.8 mm) | High output with enamels, epoxies, urethane, varnish, primers                       |
| 17P488                                                         | #5                                                                                                                                                 | .087 in (2.2 mm) | Higher output with enamels, epoxies, urethane, varnish, primers, latex, multi-spec  |
| 17P489                                                         | #6                                                                                                                                                 | .098 in (2.5 mm) | Higher output with enamels, epoxies, urethane, varnish, primers, latex, multi-spec  |
| 17P490                                                         | #7                                                                                                                                                 | .115 in (2.8 mm) | Highest output with enamels, epoxies, urethane, varnish, primers, latex, multi-spec |
| HVLP CUPS, POTS AND LINERS                                     |                                                                                                                                                    |                  |                                                                                     |
| 17R462                                                         | 32 oz (.94 L) FlexLiner HVLP Assembly (Cup, Liner, Lid, Cap)                                                                                       |                  |                                                                                     |
| 17A226                                                         | 32 oz (.94 L) FlexLiner Bags (3-Pack)                                                                                                              |                  |                                                                                     |
| 17P212                                                         | 32 oz (.94 L) FlexLiner Bags (25-Pack)                                                                                                             |                  |                                                                                     |
| 244130                                                         | 1 qt (.9 L) Siphon Metal Cup                                                                                                                       |                  |                                                                                     |
| 196468                                                         | 1 qt (.94 L) Siphon metal cup adapter                                                                                                              |                  |                                                                                     |
| 17S115                                                         | 1/2 qt (.47 L) Cup over kit – EDGE II only                                                                                                         |                  |                                                                                     |
| 17S116                                                         | 1/2 qt (.47 L) Cup over kit – EDGE II PLUS only                                                                                                    |                  |                                                                                     |
| 287819                                                         | 2 qt (1.9 L) Cup with Lid and 5 ft (1.5 m) Material and Air Hose – for use with ProComp Sprayer                                                    |                  |                                                                                     |
| FILTERS AND STRAINERS                                          |                                                                                                                                                    |                  |                                                                                     |
| 17R296                                                         | Standard Series Filter Kit                                                                                                                         |                  |                                                                                     |
| 17R298                                                         | ProContractor and ProComp Series Filter Kit                                                                                                        |                  |                                                                                     |
| SUPER-FLEX HOSES AND FITTINGS                                  |                                                                                                                                                    |                  |                                                                                     |
| 17R299                                                         | Super-Flex Whip Air Hose, 4 ft (1.2 m)                                                                                                             |                  |                                                                                     |
| 17R300                                                         | Super-Flex Air Hose, 20 ft (6.1 m)                                                                                                                 |                  |                                                                                     |
| 257159                                                         | Super-Flex Air Hose, 30 ft (9 m)                                                                                                                   |                  |                                                                                     |
| 241423                                                         | Super-Flex Material and Air Hose Assembly with Quick Connects, 30 ft (9 m) – Use with Remote Gun (not included)                                    |                  |                                                                                     |
| 240476                                                         | Material Hose, 3/8 in x 30 ft (4.8 mm x 9 m) – Use with Remote Gun (not included)                                                                  |                  |                                                                                     |
| 17R301                                                         | Quick Disconnect Ball Valve (Air Hose to Gun)                                                                                                      |                  |                                                                                     |
| 240282                                                         | Quick Disconnect Fitting (Air Hose to Sprayer)                                                                                                     |                  |                                                                                     |
| 240069                                                         | 2 Gun Y Connector (f/m/m)                                                                                                                          |                  |                                                                                     |
| MAINTENANCE AND REPAIR KITS                                    |                                                                                                                                                    |                  |                                                                                     |
| 256960                                                         | HVLP EDGE II Gun Packing Repair Kit                                                                                                                |                  |                                                                                     |
| 17P708                                                         | HVLP EDGE II Gun Full Seal Kit                                                                                                                     |                  |                                                                                     |
| 17P709                                                         | HVLP EDGE II Gun Air Cap                                                                                                                           |                  |                                                                                     |
| 256957                                                         | Quick Clean Check Valve (Full Assembly)                                                                                                            |                  |                                                                                     |
| 256956                                                         | Quick Clean Check Valve Repair Kit (3-Pack)                                                                                                        |                  |                                                                                     |
| 256953                                                         | Cleaning Brush Kit                                                                                                                                 |                  |                                                                                     |
| 256954                                                         | Deluxe Cleaning Kit –Includes Detailed Brushes and Picks                                                                                           |                  |                                                                                     |
| M71425                                                         | 2 qt (1.9 L) Remote Cup Gaskets (5-Pack)                                                                                                           |                  |                                                                                     |
| 256959                                                         | Remote Cup Shoulder Strap                                                                                                                          |                  |                                                                                     |
| M70702                                                         | #4 Ford Viscosity Cup                                                                                                                              |                  |                                                                                     |

| FINISHPRO HVLP PROCOMP SPRAYER | PART # |
|--------------------------------|--------|
| FinishPro HVLP 9.5             | 17N269 |

# FINISHPRO GX 19 CORDED

## AIRLESS SPRAYER

The fast, portable, and affordable solution for small finishing jobs that every finishing contractor encounters. Perfect for a dedicated lacquer or water based sprayer.

### GRACO-ONLY TECHNOLOGY TO PROVIDE THE PERFECT FINISH AND KEEP YOU SPRAYING:

#### EASY MATERIAL HANDLING

- 1.5 Gallon Hopper**
- Ideal for spraying small amounts of material
  - Faster cleanup with smooth inside surface — solvent resistant
  - Never mess with a drain line again — drain line hook keeps drain tube in place



#### EASY MAINTENANCE AND LONG LIFE

- ProX™ Power-Piston Pump**
- Exceptional durability and long-life piston pump
  - Exclusive, lifetime lubricated wiper pad for maintenance-free operation
  - Modular pump components for easy maintenance



#### ELIMINATE DOWNTIME

Service the piston pump in 4 simple steps with a modular pump cartridge — no tools needed



1) Remove hopper



2) Unlatch and lift door



3) Remove pump



4) Replace cartridge

#### PERFECT AIRLESS FINISH

##### RAC X™ Fine Finish Low Pressure (FF LP) Switchtip™

- Perfect Airless Finish
- Easiest pattern overlap
- Up to 2X the tip life of standard tips

#### MAXIMUM CONTROL AND COMFORT

##### FTx™ Spray Gun

- Easy Out™ 100 mesh gun filter installed to minimize tip clogs and protect finish
- EasyGlide Swivel provides maximum flexibility for effortless hose management

#### EXTREMELY PORTABLE

- Lighter than any competitive system
- Easy Carry Handle makes transportation easy

#### GET MORE WORK DONE

- Powerful Brushed DC Motor



# FINISHPRO GX 19 CORDLESS

## AIRLESS SPRAYER

### IMPROVE YOUR FINISH WITH UNMATCHED PERFORMANCE, PORTABILITY, AND MOBILITY

### INCLUDES ALL THE FEATURES OF THE GX 19 CORDED, PLUS THE FOLLOWING ADDED CAPABILITIES



#### ULTIMATE POWER AND PROVEN PERFORMANCE

##### Powered By DeWALT®

- High capacity 6ah FlexVolt batteries — spray up to 6 gallons before charging is required
- Delivered complete with two batteries

##### Brushless DC Motor

- Powerful brushless DC motor provides extended battery run time
- Lightweight, compact design allows for increased portability



#### PERFECT AIRLESS FINISH


##### RAC X™ Fine Finish Low Pressure (FFLP) Switchtip™ PATENTED

- Perfect Airless Finish
- Easiest pattern overlap
- Up to 2X the tip life of standard tips

#### SPRAY IN THE TIGHTEST AREAS WITH EASE

##### Contractor PC Compact™ Gun PATENTED

- Smallest most light weight gun on the market
- 50% lighter trigger pull
- ProConnect cartridge allows you to rebuild the gun in seconds



SEE WHY CUSTOMERS CHOOSE FINISHPRO GX 19 CORDLESS



graco.com/GX19CordlessReview

THE INDUSTRY'S FASTEST, MOST PORTABLE FINISHING SPRAYER EVER BUILT!

| AIRLESS SPRAYERS       | PART # |
|------------------------|--------|
| FinishPro GX 19 Corded | 17F924 |

| AIRLESS SPRAYERS         | PART # |
|--------------------------|--------|
| FinishPro GX 19 Cordless | 25U341 |

# AIR-ASSISTED AIRLESS TECHNOLOGY

## HVLP QUALITY FINISH AT THE SPEED OF AN AIRLESS SPRAYER

Material is delivered to the gun at lower pressure than traditional airless (500-1500 psi vs. 1500-3000 psi) and partially atomized through a small tip. Full atomization is achieved by adding a small amount of air (5-35 psi) to the edges of the spray fan, resulting in a softer pattern, more control, higher transfer, and less overspray.

# FINISH EVERY JOB, EVERY DAY — FASTER

## WITH GRACO'S AIR ASSISTED AIRLESS SPRAYERS

### HIGH-PERFORMANCE FINE FINISH SPRAYING FINISHPRO II AIR-ASSISTED AIRLESS SPRAYERS

Only Graco delivers industry-leading features along with proven quality and unmatched performance in a portable, self-contained, air-assisted airless system.

**G40  
AIRLESS GUN**  
with an ultralight  
trigger pull and  
ergonomic fit

**SMARTCONTROL  
WITH DIGITAL DISPLAY**  
accurately shows  
spray pressure with out  
pressure fluctuations

**ENDURANCE PISTON PUMP**  
lasts 2X longer than the  
next leading brand

**ONBOARD  
AIR COMPRESSOR**  
with SmartComp  
delivers a superior finish

FinishPro II 395 PC Pro  
17C417



#### PRODUCTION FINE FINISH DELIVERS:

- High end finish quality at production speeds with no thinning
- Low overspray — 70-80% transfer efficiency
- Ultra light trigger pull and ergonomic gun provides you the ability to easily spray all day



### SWAP YOUR PUMP IN LESS THAN 1 MINUTE — NO SPECIAL TOOLS, PINS OR PARTS TO LOSE

Fast Pump Removal - 3 Simple Steps



1) Loosen the  
clamping nut



2) Open door and  
remove pump



3) Remove hose and  
suction tube



#### ELIMINATE COSTLY DOWNTIME

**ProConnect**

(Available on FinishPro II Models)

- No-Tools Pump Replacement System
- Quickly repair your pump on the jobsite
- Eliminate downtime waiting on replacement parts or service
- Exceptional durability and long life piston pump

# FINISHPRO II 395 PC

## AIR-ASSISTED AIRLESS

With features that make a great sprayer even better, the FinishPro II 395 PC is Graco's premier solution to fine finishing. It delivers a high-quality finish at a high production rate and can handle the most challenging materials.



### ULTIMATE APPLICATION VERSATILITY

#### Two Sprayers in One

- Switch between air-assisted to airless spraying modes with the flip of a switch

#### Single Selector Switch

- Simple, color-coded labels easily identify airless and air-assisted modes



### SUPERIOR FINISH AND LONG LIFE

#### SmartComp

- Gun trigger-activated compressor — it's only running when you're spraying!
  - Instant air to the gun with zero lag
  - Reduces jobsite noise, resulting in less fatigue
  - Reduces moisture entering the system and extends compressor life
- #### High-Output Onboard Air Compressor
- Ideal for on-site finish jobs
  - Delivers 3.2 cfm at 35 psi — enough air to break up the heaviest materials

### ELIMINATE COSTLY DOWNTIME

#### ProConnect Pump Replacement System

- No-tools Pump Replacement System
- Quickly repair your pump on the jobsite
- Eliminate downtime waiting on replacement parts or service
- Exceptional durability and long-life piston pump

### SELF-CONTAINED AND PORTABLE

- One plug runs the entire unit, simplifying jobsite operation

### INCREASED SPRAY PERFORMANCE

#### SmartControl with Digital Display

- Consistent spray fan without pressure fluctuations at all spraying pressures
- Digital display accurately shows spraying pressure

### THE MOST RELIABLE PUMP

#### Chromex™ Endurance Piston Pump

- Lasts 2X Longer than the next
- Faster cleaning with the QuikAccess intake foot valve

### LESS OVERSPRAY AND INCREASED PUMP LIFE

#### Precision-Cut RAC X FF LP SwitchTip

- Sprays at lower pressures with less overspray delivering up to 2X life
- Pre-orifice design produces a perfect airless finish
- Finer atomization and soft edges for easier overlapping
- Reduces prep and cleanup
- Includes solvent seal for hot solvents

### INCREASED FLEXIBILITY AND MANEUVERABILITY

#### Super-Flex Hose Set

- Enables you to work in tight spaces and deliver the best finish quality
- Extremely lightweight to reduce fatigue
- Reduced material buildup and increased durability with Flex Wrap hose skin

### PREMIER PERFORMANCE

#### G40 Spray Gun

- Industrial-grade quality delivers superior finishing results
- Integrated air valve improves gun handling
- Precision-Cut RAC X FF LP SwitchTip
- Precision-Cut Fine Finish Flat Tip

# FINISHPRO II 595 PC PRO

## AIR-ASSISTED AIRLESS

The FinishPro II 595 PC Pro is ideal for large commercial and industrial jobs with more features and higher performance to get the job done faster.

## TWO SPRAYERS IN ONE — RIGHT OUT OF THE BOX!

1. HIGH PRODUCTION AIR ASSISTED AIRLESS  
DEAL FOR HIGH END FINE FINISH JOBS

2. HIGH PRODUCTION AIRLESS SPRAYER  
IDEAL FOR EXTERIOR AND INTERIOR JOBS



## INCLUDES ALL THE FEATURES OF THE FINISHPRO II 395 PC, PLUS



### EXTRA AIRLESS GUN AND LOW PRESSURE TIP MEET ALL YOUR APPLICATIONS NEEDS

#### New Contractor PC™ Spray Gun with RAC X LP SWITCHTip

- Lightest weight gun in its class
- Up to 50% lighter trigger pull force
- E-Z Fit™ adjustable trigger length
- RAC X LP SwitchTips deliver the industry's best finish at the lowest airless spray pressure
- RAC X LP SwitchTips reduce overspray by up to 50% while also providing 2X the tip life

### HIGHER FLOW FOR MORE PRODUCTIVITY

- The highest performing air-assisted airless sprayer! 50% more performance to support fine finish and high production needs.

### INCREASED SPRAY CONSISTENCY

#### SmartControl with Digital Display

- Delivers a consistent spray fan without pressure fluctuation
- Ideal for low pressure tips for fine finish work and low overspray applications
- Digital display accurately shows spraying pressure

### MORE SPRAYING AND LESS

### CLEANING

#### FastFlush™ System

- Clean the pump 4X faster
- High-velocity fluid flow delivered with higher motor speed



| AIR-ASSISTED AIRLESS SPRAYER | PART # |
|------------------------------|--------|
| FinishPro II 395 PC          | 17C417 |

| AIR-ASSISTED AIRLESS SPRAYERS | PART # |
|-------------------------------|--------|
| FinishPro II 595 PC           | 17E908 |

# G40

## AIR-ASSISTED AIRLESS GUN

The premier Air-Assisted Airless gun in the industry provides an ultra-light trigger pull and ergonomic fit. The G40 comes standard with all FinishPro II sprayers.

### GRACO-ONLY TECHNOLOGY FOR THE ULTIMATE FINISH



#### INDUSTRIAL FINISH QUALITY

- An industrial-grade finishing gun, built for years of uninterrupted service



#### LIGHTWEIGHT, ERGONOMIC DESIGN

- Becomes an extension of your hand so you deliver a perfect finish—every time

#### SOFTER SPRAY PATTERN

##### RAC X Air Cap

- Accepts RAC X SwitchTips for quick and easy tip clog clean-out
- Softer, more consistent spray pattern—eight air ports inject air closer to the tip

#### MINIMIZE TIP CLOGS

##### Gun Filter

- Integrated into the gun
- Fine 100 mesh results in a superior finish



#### FAST AND EASY ADJUSTMENTS

##### Air Adjustment Valve

- Air control at the gun allows “on the fly” adjustments to maximize performance

#### ULTIMATE PERFORMANCE

##### Precision Cut Fine Finish Flat Tip Kit

- Air cap utilizes flat tips
- Extremely high performance in low-viscosity, light-bodied materials

#### INLINE MOISTURE REMOVAL

##### Air Moisture Filter

- Desiccant material removes all moisture from air supplied by the compressor
- Improved performance when spraying solvent-based finishes
- Disposable filter design

# TIP TECHNOLOGY

## FINISHPRO AIRLESS

Only Graco gives you the ability to customize your air-assisted airless sprayer to fit your needs—whether you need fast high-production spraying or a smooth HVLP-like finish.



#### RAC X LOW PRESSURE SWITCHTIPS

##### Characteristics:

Graco's exclusive RAC X Low Pressure SwitchTips are for all applications; delivering the industry's best finish at the lowest airless spray pressure.

##### Recommended Uses:

- When speed and finish quality are equally important
- Up to 50% less overspray
- Up to 2X longer tip life
- Perfect airless finish
- Easiest pattern overlap
- Reduced prep and cleanup



#### RAC X FINE FINISH LOW PRESSURE SWITCHTIPS (FFLPxxx)

| (Green Handle)          |       | Orifice Size - Inches |      |      |      |      |      |      |
|-------------------------|-------|-----------------------|------|------|------|------|------|------|
| Fan Width               | in    | (mm)                  | .006 | .008 | .010 | .012 | .014 | .016 |
|                         | 2-4   | (51-102)              | 106  | 108  | 110  | 112  |      |      |
|                         | 4-6   | (102-152)             | 206  | 208  | 210  | 212  | 214  |      |
|                         | 6-8   | (152-203)             |      | 308  | 310  | 312  | 314  |      |
|                         | 8-10  | (203-254)             |      | 408  | 410  | 412  | 414  |      |
|                         | 10-12 | (254-305)             |      |      | 510  | 512  | 514  | 516  |
|                         | 12-14 | (305-356)             |      |      |      |      |      | 616  |
| Flow Rate (gpm)*        |       |                       | .04  | .07  | .11  | .15  | .21  | .27  |
| Flow Rate (lpm)*        |       |                       | .15  | .26  | .41  | .59  | .80  | 1.04 |
| Recommended Filter Size |       |                       | 200  | 200  | 200  | 200  | 100  | 60   |



#### RAC X LOW PRESSURE SWITCHTIPS (LPxxx)

| (Neon Handle)           |       | Orifice Size - Inches |      |      |      |      |      |      |      |      |      |      |
|-------------------------|-------|-----------------------|------|------|------|------|------|------|------|------|------|------|
| Fan Width               | in    | (mm)                  | .013 | .015 | .017 | .019 | .021 | .023 | .025 | .027 | .029 | .031 |
|                         | 4-6   | (102-152)             |      |      | 217  |      |      |      |      |      |      |      |
|                         | 6-8   | (152-203)             | 313  | 315  | 317  | 319  |      |      |      |      |      |      |
|                         | 8-10  | (203-254)             |      | 415  | 417  | 419  | 421  | 423  | 425  |      |      |      |
|                         | 10-12 | (254-305)             |      | 515  | 517  | 519  | 521  | 523  | 525  | 527  |      |      |
|                         | 12-14 | (305-356)             |      |      | 617  | 619  | 621  | 623  | 625  | 627  | 629  | 631  |
|                         | 14-16 | (356-406)             |      |      |      |      |      | 723  | 725  |      | 729  | 731  |
| Flow Rate (gpm)*        |       |                       | .18  | .24  | .31  | .38  | .47  | .57  | .67  | .77  | .90  | 1.03 |
| Flow Rate (lpm)*        |       |                       | .69  | .91  | 1.17 | 1.47 | 1.79 | 2.15 | 2.54 | 2.96 | 3.42 | 3.90 |
| Recommended Filter Size |       |                       | 100  | 60   | 60   | 60   | 60   | 60   | 60   | 60   | 60   | 30   |

VS



#### PRECISION-CUT FINE FINISH FLAT TIPS

##### Characteristics:

The Precision-Cut Flat Tip is designed with stains and lacquers in mind and produces the best atomization for extremely smooth finishes for furniture and similar applications.

##### Recommended Uses:

- Where finish quality is the #1 requirement
- Delivers softest spray fan
- Offers fan width control
- Closer to HVLP quality
- Zero air cap buildup



#### PRECISION-CUT FLAT TIPS AAM FLAT TIP (AAMXXX)

| FAN WIDTH       | IN        | MM  | .007 | .009 | .011 | .013 | .015 | .017 |
|-----------------|-----------|-----|------|------|------|------|------|------|
| 2-4             | (51-102)  |     | 109  | 111  |      |      |      |      |
| 4-6             | (102-152) | 207 | 209  | 211  | 213  | 215  | 217  |      |
| 6-8             | (152-203) | 307 | 309  | 311  | 313  | 315  | 317  |      |
| 8-10            | (203-254) |     | 409  | 411  | 413  | 415  | 417  |      |
| 10-12           | (254-305) |     | 509  | 511  | 513  | 515  | 517  |      |
| 12-14           | (305-356) |     |      | 611  | 613  | 615  | 617  |      |
| Flow Rate (gpm) |           |     | .05  | .09  | .12  | .18  | .24  | .31  |
| Flow Rate (lpm) |           |     | .20  | .33  | .49  | .69  | .91  | 1.17 |

Water @ 1000 psi (70 bar, 7.0 Mpa) - paints with a higher viscosity will decrease the flow rate. Order desired tip (part no. AAMxxx) from chart above. Example: for a tip with a 0.009 orifice and a 6 in (250 mm) pattern, order AAM309

#### USE THE CORRECT FILTER TO REDUCE TIP CLOGS

| MESH SIZE | 200                                                   | 100                                               | 60                     | 30                        |
|-----------|-------------------------------------------------------|---------------------------------------------------|------------------------|---------------------------|
| COATINGS  | Stains, Varnishes, Polyurethane, Solvent-Based Paints | Lacquers, Enamels (Solvent), Solvent-Based Paints | Latex, Enamels (Latex) | Block Filler, Elastomeric |
| TIP SIZES | .006 – .013 in                                        | .013 – .015 in                                    | .015 – .029 in         | .031 in +                 |

ACCESSORIES  
FINISHPRO AIR-ASSISTED AIRLESS & AIRLESS

GUNS & HOSES

| PART # | DESCRIPTION                                          |
|--------|------------------------------------------------------|
| 19Y443 | Contractor PC Compact & RAC X FF LP 210 SwitchTip    |
| 17J261 | FTx Gun with RAC X FF LP 210 SwitchTip               |
| 262929 | G40 Air-Assisted Airless Gun                         |
| 24U891 | G40 Gun with RAC X Tip and 50 ft Super-Flex Hose Set |
| 24U578 | 25 ft (7.6 m) Super-Flex Fluid and Air Hose Set      |
| 24U579 | 50 ft (15.2 m) Super-Flex Fluid and Air Hose Set     |
| 278750 | 1/8 in x 6 ft (3.2 mm x 1.8 m) Super-Flex Whip-Fluid |
| 278751 | 1/4 in x 6 ft (6.4 mm x 1.8 m) Super-Flex Whip-Air   |
| 24U577 | 50 ft (15.2 m) Flex Wrap Hose Protector              |
| 24U576 | 25 ft (7.6 m) Flex Wrap Hose Protector               |
| 214698 | 3/16 in x 25 ft (4.76 mm x 7.6 m) Blue Max II Hose   |



BATTERY & CHARGER

| PART # | DESCRIPTION                             |
|--------|-----------------------------------------|
| 20A162 | DEWALT 20V/60V MAX FlexVolt 6ah Battery |
| 20A165 | DEWALT Fan-Cooled Fast Charger          |

PISTON PUMP REPAIR PARTS

| PART # | DESCRIPTION                                                                                            |
|--------|--------------------------------------------------------------------------------------------------------|
| 17C487 | Replacement Pump—replace pump on the job (for use on FinishPro II 395 PC and 595 PC Pro sprayers only) |
| 24Y472 | ProXChange Repair Kit (for use on FinishPro GX19 sprayer only)                                         |



FILTERS & STRAINERS

| PART # | DESCRIPTION                                                    |
|--------|----------------------------------------------------------------|
| 224454 | G40 Gun Filter, 60 Mesh (5-Pack)                               |
| 224453 | G40 Gun Filter, 100 Mesh (5-Pack)                              |
| 25N894 | G40 Gun Filter, 200 Mesh (3-Pack)                              |
| 287032 | Contractor PC, Contractor, and FTx Guns, 60 Mesh (1 per card)  |
| 287033 | Contractor PC, Contractor, and FTx Guns, 100 Mesh (1 per card) |
| 257130 | Contractor PC, Contractor, and FTx Guns, 200 Mesh (1 per card) |
| 19Y355 | Contractor PC Compact Gun Filter 60 Mesh (1 per card)          |
| 19Y356 | Contractor PC Compact Gun Filter 100 Mesh (1 per card)         |
| 19F826 | Contractor PC Compact Gun Filter 200 Mesh (1 per card)         |
| 246384 | Easy Out Manifold Filter, Black 60 Mesh – Short                |
| 246382 | Easy Out Manifold Filter, Blue 100 Mesh – Short                |
| 246383 | Easy Out Manifold Filter, Red 200 Mesh – Short                 |
| 257094 | ProX™ Power-Piston Pump Manifold Filter, 40 Mesh               |
| 246385 | Pump Inlet Strainer                                            |
| 127465 | Disposable, Inline Air Moisture Filter (single)                |
| 24U981 | Disposable, Inline Air Moisture Filter (5-Pack)                |
| 24U982 | Inline Air Moisture Filter (25-Pack)                           |



MAINTENANCE & REPAIR KITS

| PART # | DESCRIPTION                                                                                                                                                                                 |
|--------|---------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| 17H171 | Hopper Assembly 1.5 gal (5.7 L) molded hopper attaches to sprayer in place of inlet suction hose. Ideal for spraying small amounts of material. Lid included. Smooth inside cleans up fast. |
| 288514 | Precision Cut Flat Tip Conversion Kit—G40 Gun                                                                                                                                               |
| 288839 | RAC X Conversion Kit-G40 Gun                                                                                                                                                                |
| 289108 | Severe Solvents Suction Set (for use on FinishPro II 395 PC and 595 PC Pro sprayers only)                                                                                                   |
| 288839 | G40 RAC X Air Cap                                                                                                                                                                           |



NEW CONTROL SPRAY STARTER KITS

Includes RAC X FF LP SwitchTip, gun and manifold filters for complete solution delivering ultimate control. (Compatible with 390-650 sprayers)



21A106 - RAC X FF LP 106 & 200 Mesh Filter Control Spray Kit

21A206 - RAC X FF LP 206 & 200 Mesh Filter Control Spray Kit

QUICKSHOT™

REVOLUTIONIZE THE WAY YOU COMPLETE ALL SMALL JOBS

The next generation small application airless sprayer—designed to deliver higher quality results faster and easier with water-based, solvent and flammable architectural coatings.

BREAKTHROUGH ELECTRIC POWERED AIRLESS GUN

- Instant response electronic gun virtually eliminates spits
- Lightest and smallest airless gun ever built

ON-DEMAND PRESSURE & FLOW CONTROL AT THE GUN

- Electrically connected gun to sprayer responds instantly to produce the best finish
- Quickly dial into the performance you need for any job

ULTIMATE HANDS-FREE PORTABILITY

- 6 ft flexible hose for full reach and easy hose management
- Maximum portability delivered with hands-free Belt & Holster
- Refill faster with large-mouth Pour-N-Go Cup



EASILY PRIME, CHANGE COLORS & CLEAN IN SECONDS — HOSE & GUN HOLD ONLY 1 OZ OF MATERIAL

POWERED BY  
DEWALT 20V

Part # 20B473



Quick – SET UP

Quick – APPLICATION SPEED

Quick – REFILLS / COLOR CHANGE

Quick – CLEAN UP

NEW!  
Airless Finishing Kit  
Complete fine finish jobs faster



20% vs PURCHASING INDIVIDUAL COMPONENTS

Includes: 1.5 Gallon Hopper, RAC X Fine Finish Low Pressure SwitchTip FFLP 210, BlueMax II Airless Hose 3/16" x 25', BlueMax II Airless Whip Hose 1/8" x 3', 100 mesh Easy Out™ manifold and gun filters

|                |                             | EXTREME CONTROL                       |                          |                          |                                                              |                          |                          |
|----------------|-----------------------------|---------------------------------------|--------------------------|--------------------------|--------------------------------------------------------------|--------------------------|--------------------------|
|                |                             | Small Jobs / Thin Viscosity Materials |                          |                          | Medium to Large Jobs / Capable of Atomizing Thicker Coatings |                          |                          |
|                |                             | FINISHPRO HVLP 7.0                    | FINISHPRO HVLP 9.0       | FINISHPRO HVLP 7.0       | FINISHPRO HVLP 9.0                                           | FINISHPRO HVLP 9.5       | FINISHPRO HVLP 9.5       |
| SPECIFICATIONS | Technology                  | High Volume Low Pressure              | High Volume Low Pressure | High Volume Low Pressure | High Volume Low Pressure                                     | High Volume Low Pressure | High Volume Low Pressure |
|                | Maximum psi (bar)           | 7.0 (.48)                             | 9.0 (.62)                | 7.0 (.48)                | 9.0 (.62)                                                    | 9.5 (.65)                | 9.5 (.65)                |
|                | Turbine Stages              | 3-Stage                               | 4-Stage                  | 3-Stage                  | 4-Stage                                                      | 5-Stage                  | 5-Stage                  |
|                | Cup qt (L)                  | 1 (1)                                 | 1 (1)                    | 1 (1)                    | 1 (1)                                                        | 1 (1)                    | 2 (1.9)                  |
|                | Weight lb (kg)              | 18 (8.1)                              | 19 (8.6)                 | 23 (10.4)                | 24 (10.8)                                                    | 26 (11.7)                | 30 (13.6)                |
|                | Max Hose                    | 40 ft (12 m)                          | 40 ft (12 m)             | 60 ft (18 m)             | 60 ft (18 m)                                                 | 60 ft (18 m)             | 60 ft (18 m)             |
|                | Air Ball Valve Included     | No                                    | No                       | Yes                      | Yes                                                          | Yes                      | Yes                      |
|                | Artisan Air Valve Installed | No                                    | No                       | Yes                      | Yes                                                          | Yes                      | Yes                      |



| SERIES TYPE |                         | STANDARD                        |                                 | PROCONTRACTOR                   |                                              |                                                                      | PROCOMP                                                              |
|-------------|-------------------------|---------------------------------|---------------------------------|---------------------------------|----------------------------------------------|----------------------------------------------------------------------|----------------------------------------------------------------------|
| MODEL       | Part Number             | 17N263                          | 17N264                          | 17N265                          | 17N266                                       | 17N267                                                               | 17N269                                                               |
| INCLUDES    | Gun                     | EDGE II                         | EDGE II                         | EDGE II <b>PLUS</b>             | EDGE II <b>PLUS</b>                          | EDGE II <b>PLUS</b>                                                  | EDGE II <b>PLUS</b>                                                  |
|             | Hose                    | 20 ft (6 m) Super-Flex Air Hose | 20 ft (6 m) Super-Flex Air Hose | 30 ft (9 m) Super-Flex Air Hose | 30 ft (9 m) Super-Flex Air Hose              | 30 ft (9 m) Super-Flex Air Hose and                                  | 30 ft (9 m) Super-Flex Air Hose and                                  |
|             | Whip Hose               | –                               | –                               | –                               | –                                            | Yes                                                                  | Yes                                                                  |
|             | Quick Release Fluid Set | #3 (.051 in, 1.3 mm)            | #3 (.051 in, 1.3 mm)            | #3 (.051 in, 1.3 mm)            | #3 (.051 in, 1.3 mm)<br>#4 (.071 in, 1.8 mm) | #3 (.051 in, 1.3 mm)<br>#4 (.071 in, 1.8 mm)<br>#5 (.087 in, 2.2 mm) | #3 (.051 in, 1.3 mm)<br>#4 (.071 in, 1.8 mm)<br>#5 (.087 in, 2.2 mm) |
|             | Filter                  | Foam                            | Foam                            | Automotive Main Filter          | Automotive Main Filter                       | Automotive Main Filter                                               | Automotive Main Filter                                               |
|             |                         |                                 |                                 |                                 |                                              |                                                                      |                                                                      |
| WEAR PARTS  | Gun Maintenance Kit     | 256960                          | 256960                          | 256960                          | 256960                                       | 256960                                                               | 256960                                                               |
|             | Gun Repair Kit          | 17P708                          | 17P708                          | 17P708                          | 17P708                                       | 17P708                                                               | 17P708                                                               |
| MANUAL      | Turbine                 | 3A4967                          | 3A4967                          | 3A4967                          | 3A4967                                       | 3A4967                                                               | 3A4967                                                               |
|             | Gun                     | 3A4980                          | 3A4980                          | 3A4980                          | 3A4980                                       | 3A4980                                                               | 3A4980                                                               |

|                |                   | HIGH PRODUCTIVITY      |                          |                      |                         |
|----------------|-------------------|------------------------|--------------------------|----------------------|-------------------------|
|                |                   | Small / Medium Jobs    |                          |                      | Medium / Large Jobs     |
|                |                   | FINISHPRO GX 19 CORDED | FINISHPRO GX 19 CORDLESS | FINISHPRO II 395 PC  | FINISHPRO II 595 PC PRO |
| SPECIFICATIONS | Technology        | Airless                | Airless                  | Air-Assisted Airless | Air-Assisted Airless    |
|                | Flow gpm (lpm)    | .38 (1.44)             | .38 (1.44)               | .47 (1.78)           | .70 (2.6)               |
|                | Max Tip– Airless  | .019                   | .019                     | .021                 | .027                    |
|                | Weight lb (kg)    | 31 (14.1)              | 29 (13.2)                | 107 (48.5)           | 108 (49.0)              |
|                | Motor hp (dc)     | 1/2                    | 1/2 Brushless            | 7/8 TEFC             | 1.6 Brushless           |
|                | Hose Wrap         | –                      | –                        | Flex Wrap            | Flex Wrap               |
|                | Compressor Output | –                      | –                        | 3.2 cfm at 35 psi    | 3.2 cfm at 35 psi       |
|                |                   |                        |                          |                      |                         |



| MODEL       | Part Number      | 17F924                           | 25U341                                                                      | 17C417                                      | 17E908                                                                   |
|-------------|------------------|----------------------------------|-----------------------------------------------------------------------------|---------------------------------------------|--------------------------------------------------------------------------|
| INCLUDES    | Power Source     | Corded                           | (2) DEWALT 60VMax FlexVolt 6.0 ah Batteries and (1) Fan-Cooled Fast Charger | Corded                                      | Corded                                                                   |
|             | Filter(s)        | 100 Mesh Gun Filter              | 100 Mesh Gun Filter                                                         | 100 Mesh Gun Filter                         | 60 Mesh Gun Filter<br>100 Mesh Gun Filter                                |
|             | Tips             | RAC X FFLP210                    | RAC X FFLP210                                                               | RAC X FFLP210<br>AAM309                     | RAC X FFLP210<br>RAC X LP517<br>AAM309                                   |
|             | Fluid Hose       | 3/16 in x 25 ft (4.8 mm x 7.6 m) | 3/16 in x 25 ft (4.8 mm x 7.6 m)                                            | 1/4 in x 50 ft (6.4 cm x 15.2 m)            | (2) 1/4 in x 50 ft (6.4 cm x 15.2 m)                                     |
|             | Fluid Whip Hose  | –                                | –                                                                           | 1/8 in x 6 ft (3.2 mm x 1.8 m)              | 1/8 in x 6 ft (3.2 mm x 1.8 m)                                           |
|             | Air Hose         | –                                | –                                                                           | 3/8 in x 50 ft (9.5 mm x 15.2 m)            | 3/8 in x 50 ft (9.5 mm x 15.2 m)                                         |
|             | Air Whip Hose    | –                                | –                                                                           | 1/4 in x 6 ft (6.4 mm x 1.8 m)              | 1/4 in x 6 ft (6.4 mm x 1.8 m)                                           |
|             | Gun              | FTx with RAC X FF LP SwitchTip   | Contractor PC Compact with RAC X FF LP SwitchTip                            | G40 with RAC X FF LP SwitchTip and Flat Tip | G40 with RAC X FF LP SwitchTip and Contractor PC with RAC X LP SwitchTip |
|             | SmartComp        | –                                | –                                                                           | Yes                                         | Yes                                                                      |
|             | Display          | Pressure Gauge                   | Pressure Gauge                                                              | Digital                                     | Digital                                                                  |
| PUMP MANUAL | Operation/Parts  | 3A3212                           | 3A8429                                                                      | 334730                                      | 334598                                                                   |
|             | Replacement Pump | 24Y472<br>ProX (Replacement Kit) | 24Y472<br>ProX (Replacement Kit)                                            | 17C487<br>(Full Endurance Pump)             | 17C487<br>(Full Endurance Pump)                                          |



## SPRAY WITH CONFIDENCE

### Industry-Leading Warranty Protection

Every Graco electric sprayer is backed by the industry's best warranty coverage.

#### LIFETIME ELECTRIC MOTOR WARRANTY\*†

If the motor fails from normal use, we'll replace it under warranty for the original owner for the life of the sprayer.

#### LIFETIME DRIVETRAIN WARRANTY\* †

If the drivetrain fails from normal use, we'll replace it under warranty for the original owner for the life of the sprayer.

#### 30-DAY "JUST ADD PAINT" REPLACEMENT GUARANTEE\*

Dissatisfied? Simply return the sprayer to the place you bought it within 30 days. They'll either exchange it for an identical sprayer or you can tradeup to a larger sprayer at an additional cost.

#### 3-YEAR WARRANTY\* †

Coverage against defects in materials and workmanship on the entire sprayer, FinishPro compressors and turbine motors.

#### DOWNTIME ELIMINATOR PROGRAM\*

Part needed for a warranty repair not in stock at your distributor? Get FREE next business day air freight delivery when distributor orders the part by 2 p.m. CT.

#### CONVENIENT SERVICE

Graco offers more than 5,500 authorized distributor locations in North America and over 700 locations to administer warranty repair.

#### 3-YEAR DeWALT DEFECT WARRANTY\*

Coverage against defects in materials and workmanship on batteries and charger

\*NORTH AMERICA ONLY. See your local Graco Distributors for country specifics. See printed product warranty for complete warranty terms and conditions.

†Excludes FinishPro GX 19.



#### SAVE TIME AND MONEY ON EVERY JOB

You can't afford costly downtime. Stop worrying with the Endurance Advantage Program.

**Receive a FREE repair kit by following the registration instructions included with your sprayer.**



Every Graco purchase comes with A+ Customer Service.

Questions?  
Call (844) 241-9499

**For more information visit [graco.com/contractor](http://graco.com/contractor)**

©2023 Graco Inc. 344400 Rev. H 3/23 All written and visual data contained in this document are based on the latest product information available at the time of publication. Graco reserves the right to make changes at any time without notice. Trademarks are referenced herein for identification purposes only. DeWALT® and the DeWALT Logo are trademarks of DeWALT Industrial Tool Co. and are used under license. All trademarks are the property of their respective owners. Product covered by issued and pending patents, see [graco.com/patents](http://graco.com/patents). Blue is a trademark of Graco Inc. for Contractor Equipment Sprayers.